

Product datasheet

Specifications



EVlink Home, Anti-tripping module, 1P, maximum current allowed to charging station manually setting from 16A to 50A

EVA1HPC1

Main

Range	EVlink
Product Or Component Type	Load-shedder
Material	Plastic

Complementary

Range Compatibility	EVlink EVlink Home
Condition Of Use	Indoor
Mounting Support	35 mm DIN rail
Setting Of Maximum Current Provided To Charging Station	Manual
Possible Maximum Current Provided To Charging Station	16 A 20 A 25 A 32 A 40 A 50 A
[Us] Rated Supply Voltage	220...230 V AC 50/60 Hz +/- 10 %
Power Consumption In W	4 W
Connectivity To Devices	PLC
Local Signalling	1 green LED, function: control process 1 red LED, function: fault indication 1 green LED, function: embedded communication status
Standards	EN 61010-1:2010 EN 61326-1:2013
Quantity Per Set	Set of 1
Height	70 mm
Width	93 mm
Depth	69 mm
Net Weight	196 g
Colour	White

Environment

Operating Altitude	0...2000 m
Ambient Air Temperature For Operation	-30...50 °C
Ambient Air Temperature For Storage	-40...85 °C
Relative Humidity	5...95 %

Overvoltage Category	III
----------------------	-----

Pollution Degree	2
------------------	---

Packing Units

Unit Type Of Package 1	PCE
------------------------	-----

Number Of Units In Package 1	1
------------------------------	---

Package 1 Height	9.200 cm
------------------	----------

Package 1 Width	10.100 cm
-----------------	-----------

Package 1 Length	17.600 cm
------------------	-----------

Package 1 Weight	515.000 g
------------------	-----------

Unit Type Of Package 2	S04
------------------------	-----

Number Of Units In Package 2	20
------------------------------	----

Package 2 Height	30.000 cm
------------------	-----------

Package 2 Width	40.000 cm
-----------------	-----------

Package 2 Length	60.000 cm
------------------	-----------

Package 2 Weight	10.540 kg
------------------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

Mercury Free

RoHS Exemption Information Yes

Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu RoHS Directive Compliant
[EU RoHS Declaration](#)

China RoHS Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)